## LIST OF PENDING CLAIMS

- 1. (Cancelled)
- 2. (Previously presented) A photoresponsive fragrance composition comprising:
- (a) a compound having the formula

$$R^{2}$$
 $R^{6}$ 
 $R^{7}$ 
 $R^{10}$ 
 $R^{10}$ 
 $R^{10}$ 

wherein

R<sub>1</sub> is substituted ester (--OC(O)R<sub>12</sub>), substituted phosphate (--OP(O)(OR<sub>19</sub>)(OR<sub>20</sub>), substituted thiol (--S-R<sub>12</sub>), substituted amine (--NH-R<sub>12</sub>) or an other substituted chemical group covalently linked to a fragrance or fragrance molecule;

R<sub>2</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>3</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R4 is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>5</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>6</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R7 is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>8</sub> is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

R9 is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>10</sub> is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>11</sub> is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>12</sub>, is a fragrance or molecule that imparts a fragrance;

R<sub>19</sub> is a hydrogen and R<sub>20</sub> is a fragrance or molecule that imparts a fragrance

 $R_{19} \ is \ a$  fragrance or molecule that imparts a fragrance and  $R_{20} \ is \ a$  hydrogen

wherein at least one of R2 or R6 is hydrogen;

wherein at least one of R2, R3, R4, R5, or R6 is hydroxy or substituted alkoxy; and

- (B) a carrier for topical administration to skin or hair or direct administration to articles of clothing and other textiles or via a washing or spraying method.
- (Withdrawn) A photoresponsive fragrance composition comprising:
- (A) a sunlight absorbing compound having the formula

$$\begin{split} R_2 & is \ hydrogen, \ hydroxy \ (C_{1:20}) alkyl, \ (C_{5:12}) aryl, \ (C_{1:20}) alkoxy \ or \ substituted \ (C_{1:20}) alkoxy; \\ R_3 & is \ hydrogen, \ hydroxy, \ (C_{1:20}) alkyl, \ (C_{5:12}) aryl, \ (C_{1:20}) alkoxy \ or \ substituted \ (C_{1:20}) alkoxy; \\ R_4 & is \ hydrogen, \ hydroxy, \ (C_{1:20}) alkyl, \ (C_{5:12}) aryl, \ (C_{1:20}) alkoxy \ or \ substituted \ (C_{1:20}) alkoxy; \\ R_5 & is \ hydrogen, \ hydroxy, \ (C_{1:20}) alkyl, \ (C_{5:12}) aryl, \ (C_{1:20}) alkoxy \ or \ substituted \ (C_{1:20}) alkoxy; \\ R_8 & is \ hydrogen, \ (C_{1:20}) alkyl, \ (C_{5:12}) aryl, \ (C_{1:20}) alkoxy \ or \ substituted \ (C_{1:20}) alkoxy; \\ R_9 & is \ hydrogen, \ (C_{1:20}) alkyl, \ (C_{5:12}) aryl, \ (C_{1:20}) alkoxy \ or \ substituted \ (C_{1:20}) alkoxy; \\ R_{10} & is \ hydrogen, \ (C_{1:20}) alkyl, \ (C_{5:12}) aryl, \ (C_{1:20}) alkoxy \ or \ substituted \ (C_{1:20}) alkoxy; \\ R_{11} & is \ hydrogen, \ (C_{1:20}) alkyl, \ (C_{5:12}) aryl, \ (C_{1:20}) alkoxy \ or \ substituted \ (C_{1:20}) alkoxy; \\ wherein \ at \ least \ one \ of \ R_2, \ R_3, \ R_4, \ or \ R_3 \ is \ hydroxy \ or \ substituted \ (C_{1:20}) alkoxy; \end{aligned}$$

- (B) a carrier for topical administration or direct administration to articles of clothing and other textiles or via routine washing.
- (C) a fragrance or fragrance molecule
- (Previously presented) A composition useful for releasing fragrances of a desired scent comprising;
- (A) a compound having the formula

$$R^{2}$$
 $R^{3}$ 
 $R^{6}$ 
 $R^{7}$ 
 $R^{8}$ 
 $R^{9}$ 

R<sub>1</sub> is substituted ester (-OC(O)R<sub>12</sub>), substituted phosphate (-OP(O)(OR<sub>20</sub>)(OR<sub>20</sub>), substituted thiol (-S-R<sub>12</sub>), substituted amine (-NH-R<sub>12</sub>) or an other substituted chemical group covalently linked to a fragrance or fragrance molecule

R2 is hydrogen, hydroxy, alkyl, aryl, alkoxy, or substituted alkoxy;

R<sub>3</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy, or substituted alkoxy;

R<sub>4</sub> is hydrogen, hydroxy alkyl, aryl, alkoxy, or substituted alkoxy;

R5 is hydrogen, hydroxy, alkyl, aryl, alkoxy, or substituted alkoxy;

R<sub>6</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy, or substituted alkoxy;

R7 is hydrogen, alkyl, aryl, alkoxy, or substituted alkoxy;

R<sub>8</sub> is hydrogen, alkyl, aryl, alkoxy, or substituted alkoxy;

Ro is hydrogen, alkyl, aryl, alkoxy, or substituted alkoxy;

R<sub>10</sub> is hydrogen, alkyl, aryl, alkoxy, or substituted alkoxy;

R<sub>11</sub> is hydrogen, alkyl, aryl, alkoxy, or substituted alkoxy;

R<sub>12</sub> is a fragrance or fragrance molecule;

R<sub>19</sub> is hydrogen or a fragrance molecule; and

R20 is hydrogen or a fragrance molecule

wherein at least one of R2 or R6 is hydrogen;

wherein at least one of R2, R3, R4, R5 or R6 is hydroxy or substituted alkoxy; and

- (B) a carrier for topical administration to skin or hair or direct administration to articles of clothing and other textiles or via washing or spraying.
- (Original) The composition according to claim 4 further comprising an auxiliary fragrance agent having a different fragrance than the photoreleased fragrance.

- (Original) The composition according to claim 4 further comprising a photo rearranged product having a desirable fragrance.
- 7. (Withdrawn) A composition useful for releasing a desirable fragrance comprising:
- (A) an sunlight absorbing compound having the formula

$$\begin{split} &R_2\text{ is hydrogen, hydroxy, } (C_{1:20})\text{alkyl, } (C_{5:12})\text{aryl, } (C_{1:20})\text{alkoxy, or substituted } (C_{1:20})\text{alkoxy;} \\ &R_3\text{ is hydrogen, hydroxy, } (C_{1:20})\text{alkyl, } (C_{5:12})\text{aryl, } (C_{1:20})\text{alkoxy, or substituted } (C_{1:20})\text{alkoxy;} \\ &R_4\text{ is hydrogen, hydroxy, } (C_{1:20})\text{alkyl, } (C_{5:12})\text{aryl, } (C_{1:20})\text{alkoxy, or substituted } (C_{1:20})\text{alkoxy;} \\ &R_5\text{ is hydrogen, hydroxy, } (C_{1:20})\text{alkyl, } (C_{5:12})\text{aryl, } (C_{1:20})\text{alkoxy, or substituted } (C_{1:20})\text{alkoxy;} \\ &R_7\text{ is hydrogen, } (C_{1:20})\text{alkyl, } (C_{5:12})\text{aryl, } (C_{1:20})\text{alkoxy, or substituted } (C_{1:20})\text{alkoxy;} \\ &R_8\text{ is hydrogen, } (C_{1:20})\text{alkyl, } (C_{5:12})\text{aryl, } (C_{1:20})\text{alkoxy, or substituted } (C_{1:20})\text{alkoxy;} \\ &R_9\text{ is hydrogen, } (C_{1:20})\text{alkyl, } (C_{5:12})\text{aryl, } (C_{1:20})\text{alkoxy, or substituted } (C_{1:20})\text{alkoxy;} \\ &R_{10}\text{ is hydrogen, } (C_{1:20})\text{alkyl, } (C_{5:12})\text{aryl, } (C_{1:20})\text{alkoxy, or substituted } (C_{1:20})\text{alkoxy;} \\ &R_{11}\text{ is hydrogen, } (C_{1:20})\text{alkyl, } (C_{5:12})\text{aryl, } (C_{1:20})\text{alkoxy, or substituted } (C_{1:20})\text{alkoxy;} \\ &\text{wherein at least one of } R_2, R_3, R_4, \text{ or } R_5\text{ is hydroxy or substituted } (C_{1:20})\text{alkoxy and} \\ \end{aligned}$$

- (B) a carrier for topical administration or direct administration to articles of clothing and other textiles or via routine washing.
- 8. (Withdrawn) The composition according to claim 7 wherein R<sub>2</sub> is hydrogen; R<sub>3</sub> is hydrogen, (C<sub>1-20</sub>)alkoxy, or substituted (C<sub>1-20</sub>)alkoxy; R<sub>4</sub> is hydrogen; R<sub>5</sub> is (C<sub>1-20</sub>)alkoxy or substituted (C<sub>1-20</sub>)alkoxy; R<sub>7</sub> is hydrogen; R<sub>8</sub> is hydrogen; R<sub>9</sub> is hydrogen; R<sub>10</sub> is hydrogen; and R<sub>11</sub> is hydrogen.
- (Withdrawn) The composition according to claim 7 further comprising an auxiliary fragrance agent having a different fragrance than compound (A).

(Previously presented) A photoresponsive fragrance composition comprising:
 (A) a compound having the formula

$$R^{2}$$
 $R^{3}$ 
 $R^{6}$ 
 $R^{7}$ 
 $R^{8}$ 
 $R^{8}$ 
 $R^{9}$ 

wherein

R<sub>1</sub> is substituted ester (-OC(O)R<sub>12</sub>), substituted phosphate (-OP(O)(OR<sub>10</sub>)(OR<sub>20</sub>), substituted thiol (-S-R<sub>12</sub>), substituted amine (--NH-R<sub>12</sub>) or an other substituted chemical group covalently linked to a fragrance or fragrance molecule.;

R<sub>2</sub> is hydrogen, hydroxy, (C<sub>1-20</sub>)alkyl, (C<sub>5-12</sub>)aryl, (C<sub>1-20</sub>)alkoxy or substituted (C<sub>1-20</sub>)alkoxy;

R<sub>2</sub> is hydrogen, hydroxy, (C<sub>1-20</sub>)alkyl, (C<sub>5-12</sub>)aryl, (C<sub>1-20</sub>)alkoxy or substituted (C<sub>1-20</sub>)alkoxy;

 $R_4$  is hydrogen, hydroxy,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy or substituted  $(C_{1-20})$ alkoxy;

 $R_5$  is hydrogen, hydroxy,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy or substituted  $(C_{1-20})$ alkoxy;

 $R_6$  is hydrogen, hydroxy,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy or substituted  $(C_{1-20})$ alkoxy;

 $R_7$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy or substituted  $(C_{1-20})$ alkoxy;

 $R_8 \ is \ hydrogen, \ (C_{1\text{--}20}) alkyl, \ (C_{5\text{--}12}) aryl, \ (C_{1\text{--}20}) alkoxy \ or \ substituted \ (C_{1\text{--}20}) alkoxy;$ 

 $R_9 \ is \ hydrogen, (C_{1\text{--}20}) alkyl, (C_{5\text{--}12}) aryl, (C_{1\text{--}20}) alkoxy \ or \ substituted \ (C_{1\text{--}20}) alkoxy;$ 

 $R_{10} \text{ is hydrogen, } (C_{1\text{--}20}) \text{alkyl, } (C_{5\text{--}12}) \text{aryl, } (C_{1\text{--}20}) \text{alkoxy or substituted } (C_{1\text{--}20}) \text{alkoxy;}$ 

 $R_{11} \text{ is hydrogen, } (C_{1\text{-}20}) \text{alkyl, } (C_{5\text{-}12}) \text{aryl, } (C_{1\text{-}20}) \text{alkoxy or substituted } (C_{1\text{-}20}) \text{alkoxy; }$ 

R<sub>12</sub>, is a fragrance or molecule that imparts a fragrance

R<sub>19</sub> is hydrogen or a fragrance molecule

R<sub>20</sub> is hydrogen or a fragrance molecule

wherein at least one of R2 or R6 is hydrogen;

wherein at least one of R2, R3, R4, R5, or R6 is hydroxy or substituted (C1-20)alkoxy; and

(B) a carrier for topical administration or direct administration to articles of clothing and other textiles or via routine washing.

- 11. (Previously presented) A composition useful releasing a desired fragrance comprising:
- (A) a compound having the formula

$$R^{2}$$
 $R^{3}$ 
 $R^{6}$ 
 $R^{7}$ 
 $R^{8}$ 
 $R^{9}$ 

R<sub>1</sub> is substituted ester (-OC(O)R<sub>12</sub>), substituted phosphate (-OP(O)(OR<sub>10</sub>)(OR<sub>20</sub>), substituted thiol (-S-R<sub>12</sub>), substituted amine (--NH-R<sub>12</sub>) or an other substituted chemical group covalently linked to a fragrance or fragrance molecule.;

R2 is hydrogen, hydroxy, (C1-20)alkyl, (C5-12)aryl, (C1-20)alkoxy, or substituted (C1-20)alkoxy;

 $R_3$  is hydrogen, hydroxy,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;

R<sub>4</sub> is hydrogen, hydroxy, (C<sub>1-20</sub>)alkyl, (C<sub>5-12</sub>)aryl, (C<sub>1-20</sub>)alkoxy, or substituted (C<sub>1-20</sub>)alkoxy;

 $R_5$  is hydrogen, hydroxy,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy:

R<sub>6</sub> is hydrogen, hydroxy, (C<sub>1.20</sub>)alkyl, (C<sub>5.12</sub>)aryl, (C<sub>1.20</sub>)alkoxy, or substituted (C<sub>1.20</sub>)alkoxy;

R7 is hydrogen, (C1-20)alkyl, (C5-12)aryl, (C1-20)alkoxy, or substituted (C1-20)alkoxy;

 $R_8$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;

R<sub>9</sub> is hydrogen, (C<sub>1-20</sub>)alkyl, (C<sub>5-12</sub>)aryl, (C<sub>1-20</sub>)alkoxy, or substituted (C<sub>1-20</sub>)alkoxy;

 $R_{10}$  is hydrogen,  $(C_{1-20})$ alkyl,  $(C_{5-12})$ aryl,  $(C_{1-20})$ alkoxy, or substituted  $(C_{1-20})$ alkoxy;

R<sub>11</sub> is hydrogen, (C<sub>1-20</sub>)alkyl, (C<sub>5-12</sub>)aryl, (C<sub>1-20</sub>)alkoxy, or substituted (C<sub>1-20</sub>)alkoxy;

R<sub>12</sub> is a fragrance or a molecule that imparts a fragrance

R<sub>19</sub> is hydrogen or a fragrance molecule

R<sub>20</sub> is hydrogen or a fragrance molecule

wherein at least one of R2 or R6 is hydrogen;

wherein at least one of R2, R3, R4, R5 or R6 is hydroxy or substituted (C1-20)alkoxy; and

- (B) a carrier for topical administration or direct administration to articles of clothing and other textiles or via routine washing.
- 12. (Original) A photoresponsive fragrance comprising:
- (A) a compound having the formula

$$R^{2}$$
 $R^{3}$ 
 $R^{4}$ 
 $R^{5}$ 
 $R^{8}$ 
 $R^{9}$ 

R<sub>1</sub> is a fragrance molecule;

R2 is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>3</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>4</sub> is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R5 is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R6 is hydrogen, hydroxy, alkyl, aryl, alkoxy or substituted alkoxy;

R7 is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>8</sub> is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

Ro is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>10</sub> is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

R<sub>11</sub> is hydrogen, alkyl, aryl, alkoxy or substituted alkoxy;

wherein at least one of R2 or R6 is hydrogen;

- wherein at least one of R<sub>2</sub>, R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, or R<sub>6</sub> is hydroxy or substituted alkoxy; and
- (B) a carrier for topical administration or direct administration to article of clothing and other textiles or via routine washing.
- 13. (Withdrawn) A method of controlling the release of a fragrance by incorporating
- the compositions of any one of claims 1 to 12 into clothing or textiles by spraying the composition onto the clothing or textiles or washing the clothing or textiles in a solution of the composition.
- (Withdrawn) A method according to claim 13, wherein the composition is sprayed onto the clothing or textiles.
- 15. (Withdrawn) A method according to claim 13, wherein the composition is incorporated into the clothing or textiles via washing.

- 16. (Previously presented) A composition according to any one of claims 2, 4, 5, or 6, wherein the composition is formulated for spraying onto the skin.
- 17. (Previously presented) A composition according to any one of claims 2, 4, 5, or 6, wherein the composition is formulated for rubbing onto the skin.
- 18. (Withdrawn) A method of controlling the release of a fragrance by applying the compositions of any one of claims 1 to 12 onto the skin or hair of a mammal.
- 19. (Withdrawn) A method according to claim 16, wherein the mammal is a human.
- 20. (Withdrawn) A method according to claim 16, wherein the mammal is a companion animal.
- 21. (Previously presented) A composition according to any one of claims 2, 4, 5, 6, 10, 11, or 12, wherein the compound is of the formula:

$$R^3$$
  $R^5$ 

- 22. (Previously presented) A composition according to claim 21, wherein the composition is formulated for spraying onto the skin.
- 23. (Previously presented) A composition according to claim 21, wherein the composition is formulated for rubbing onto the skin.